

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	225	((translat\$3 convert\$3) near3 ("port number")) AND (network) AND (@ad<"20021122" @rlad<"20021122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:34
L2	152	((translat\$3) near3 ("port number")) AND (network) AND (@ad<"20021122" @rlad<"20021122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:52
L3	18	("peek/poke" "peek-poke" "peek and poke") AND (network) AND (@ad<"20021122" @rlad<"20021122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:58
L4	47	("peek/poke" "peek-poke" "peek and poke") AND (@ad<"20021122" @rlad<"20021122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 12:05
L5	132	((peek) WITH (poke)) AND (@ad<"20021122" @rlad<"20021122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 12:40
L6	3634	("status line") AND (@ad<"20021122" @rlad<"20021122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 12:40
L7	222	((("status line") WITH (processor)) AND (@ad<"20021122" @rlad<"20021122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 12:41
L8	172	((("status line") WITH (processor)) AND (read write) AND (@ad<"20021122" @rlad<"20021122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 12:44

EAST Search History

L9	70	((("status line") WITH (service)) AND (read write) AND (@ad<"20021122" @rlad<"20021122"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 12:53
L10	206	((status) WITH ((availability available) near2 (service))) AND (read write) AND (@ad<"20021122" @rlad<"20021122"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 12:53
L11	204	((status) WITH ((availability available) near2 (service))) AND (processor) AND (@ad<"20021122" @rlad<"20021122"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 12:59
L12	27	((status) WITH ((availability available) near2 (service))) SAME (processor) AND (@ad<"20021122" @rlad<"20021122"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 12:59
L13	9798	((status) WITH (indicat\$3)) SAME (processor) AND (@ad<"20021122" @rlad<"20021122"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 13:00
L14	2054	((status) WITH (signal pin) WITH (indicat\$3)) SAME (processor) AND (@ad<"20021122" @rlad<"20021122"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 13:00
L15	64	((status) WITH (pin) WITH (indicat\$3)) SAME (processor) AND (@ad<"20021122" @rlad<"20021122"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 13:02
L16	3	((status) WITH (pin) WITH (availability available)) SAME (processor) AND (@ad<"20021122" @rlad<"20021122"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 13:03

EAST Search History

L17	207	((status) WITH (pin signal) WITH (busy)) SAME (processor) AND (@ad<"20021122" @rlad<"20021122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 13:05
S1	91	"adaptive computing engine"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/10 11:02
S13	175	"adaptive computing" AND (@ad<"20021122" @rlad<"20021122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/10 11:03
S14	488	((adaptive reconfigurable) adj1 (computing)) AND (@ad<"20021122" @rlad<"20021122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/10 11:04
S15	320	((adaptive reconfigurable) adj1 (computing)) AND (network) AND (@ad<"20021122" @rlad<"20021122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/10 11:04
S16	170	((adaptive reconfigurable) adj1 (computing)) AND (network) AND (port) AND (@ad<"20021122" @rlad<"20021122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/10 11:05
S17	134	((adaptive reconfigurable) adj1 (computing)) AND (network) AND (port) AND (instruction command) AND (@ad<"20021122" @rlad<"20021122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/24 10:52
S18	0	"09815122".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 18:23

EAST Search History

S19	0	"09815122".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 18:24
S20	7	"815122".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 18:41
S21	2	"6694380".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/23 18:42
S22	4269	("physical link") AND (@ad<"20021122" @rlad<"20021122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/24 10:53
S23	3521	("physical link") AND (network) AND (@ad<"20021122" @rlad<"20021122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/24 10:53
S24	1988	("physical link") AND (node) AND (network) AND (@ad<"20021122" @rlad<"20021122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/24 10:53
S25	231	("physical link") AND (node) AND (network) AND (connector) AND (@ad<"20021122" @rlad<"20021122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/24 10:55
S26	358	("physical link") AND (port) AND (network) AND (connector) AND (@ad<"20021122" @rlad<"20021122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/24 10:55

EAST Search History

S27	55	("physical link") AND ("port number") AND (network) AND (connector) AND (@ad<"20021122" @rlad<"20021122")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/26 11:33
-----	----	---	---	----	-----	------------------